

FORM PTO-1390 (REV. 9-2001)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER <div style="text-align: center; font-weight: bold;">5/1263</div>	
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				U.S. APPLICATION NO. (If known, see 37 CFR 1.5 <div style="font-size: 1.5em; font-weight: bold;">10/018641</div>	
INTERNATIONAL APPLICATION NO. <div style="text-align: center;">PCT/EP00/05801</div>		INTERNATIONAL FILING DATE <div style="text-align: center;">23 June 2000</div>		PRIORITY DATE CLAIMED <div style="text-align: center;">28 June 1999</div>	
TITLE OF INVENTION METHOD AND DEVICE FOR PRODUCING PELLETS					
APPLICANT(S) FOR DO/EO/US Wolfgang Joerg; Johann Schwartz; Andreas Ege; Robert Becker and Gerhard Steiner					
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:					
<ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 3. <input checked="" type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below. 4. <input checked="" type="checkbox"/> The US has been elected by the expiration of 19 months from the priority date (Article 31). 5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2)) <ol style="list-style-type: none"> a. <input type="checkbox"/> is attached hereto (required only if not communicated by the International Bureau). b. <input checked="" type="checkbox"/> has been communicated by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US). 6. <input checked="" type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)). <ol style="list-style-type: none"> a. <input checked="" type="checkbox"/> is attached hereto. b. <input type="checkbox"/> has been previously submitted under 35 U.S.C. 154(d)(4). 7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) <ol style="list-style-type: none"> a. <input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau). b. <input type="checkbox"/> have been communicated by the International Bureau. c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. d. <input checked="" type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)). 9. <input type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. <input type="checkbox"/> An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). 					
Items 11 to 20 below concern document(s) or information included:					
<ol style="list-style-type: none"> 11. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 13. <input checked="" type="checkbox"/> A FIRST preliminary amendment. 14. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment. 15. <input type="checkbox"/> A substitute specification. 16. <input type="checkbox"/> A change of power of attorney and/or address letter. 17. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825. 18. <input type="checkbox"/> A second copy of the published international application under 35 U.S.C. 154(d)(4). 19. <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4). 20. <input checked="" type="checkbox"/> Other items or information: Initial Information Data Sheet; Form 1449A/PTO; Copies of References as cited on Form 1449A/PTO; and Copy of Priority Document Number 199 29 526.3 					

U.S. APPLICATION NO. (if known, see 37 CFR 1.5) to be assigned 10/018641		INTERNATIONAL APPLICATION NO. PCT/EP00/05801		ATTORNEY'S DOCKET NUMBER 5/1263	
------------------------------------------------------------------------------------	--	-------------------------------------------------	--	------------------------------------	--

21. <input type="checkbox"/> The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)): Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO. \$1040.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$890.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$740.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$710.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00 ENTER APPROPRIATE BASIC FEE AMOUNT =				CALCULATIONS PTO USE ONLY	
				\$	890.00
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input checked="" type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$	130.00
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$	
Total claims	15 - 20 =	0	x \$18.00	\$	0.00
Independent claims	2 - 3 =	0	x \$84.00	\$	0.00
MULTIPLE DEPENDENT CLAIM(S) (if applicable)				\$	N/A
TOTAL OF ABOVE CALCULATIONS =				\$	1,020.00
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.				\$	
SUBTOTAL =				\$	1,020.00
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$	
TOTAL NATIONAL FEE =				\$	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +				\$	
TOTAL FEES ENCLOSED =				\$	1,020.00
				Amount to be refunded:	\$
				charged:	\$

a. ☐ A check in the amount of \$ _____ to cover the above fees is enclosed.

b. ☒ Please charge my Deposit Account No. 02-2955 in the amount of \$ 1,020.00 to cover the above fees.
 A duplicate copy of this sheet is enclosed.


c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any
 overpayment to Deposit Account No. 02-2955. A duplicate copy of this sheet is enclosed.

d. ☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. **Credit card
 information should not be included on this form.** Provide credit card information and authorization on PTO-2038.

**NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR
 1.137 (a) or (b)) must be filed and granted to restore the application to pending status.**

SEND ALL CORRESPONDENCE TO:

Robert P. Raymond
 Boehringer Ingelheim Corporation
 900 Ridgebury Road, P.O. Box 368
 Ridgefield, CT 06877-0368


 SIGNATURE
 Mary-ellen M. Devlin
 NAME
 27,928
 REGISTRATION NUMBER

10016641 DEC 2001

10/018641
JCIS Rec'd PCT/PIO 19 DEC 2001

#4/a

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of : Wolfgang Joerg et al) Docket No.: 5/1263
Serial No. : to be assigned) Art Unit:
Confirmation No.: to be assigned) Examiner:
I.A. Filing Date : June 23, 2000)
Submitted : December 19, 2001)
For : Method and Device for Producing Pellets

Box PCT
Assistant Commissioner for Patents
Washington, D.C. 20231


PRELIMINARY AMENDMENT

Sir:

Please cancel Claims 1 through 14.

Please add the following new claims, 15 through 29 as shown on the enclosed pages.

Respectfully submitted,




Mary-ellen M. Devlin
Attorney for Applicant(s)
Reg. No. 27,928

Patent Department
Boehringer Ingelheim Corp.
900 Ridgebury Road
P.O. Box 368
Ridgefield, CT 06877
Tel.: (203) 798-4866
Docket No. 5/1263

"EXPRESS MAIL" LABEL NO.: EL 681 164 618 US
DEPOSIT DATE: December 19, 2001

I HEREBY CERTIFY THAT THIS PAPER OR FEE IS
BEING DEPOSITED WITH THE UNITED STATES POSTAL
SERVICE "EXPRESS MAIL POST OFFICE TO
ADDRESSEE" SERVICE UNDER 37 CFR 1.10 ON THE
DATE INDICATED ABOVE AND IS ADDRESSED TO THE
BOX PCT
ASSISTANT COMMISSIONER FOR PATENTS,
WASHINGTON, DC 20231.

By: 
Mary-ellen M. Devlin
Reg. No. 27,928

Newly Added Claims 15 through 29

15. A Process for producing pellets (4) from a viscous medium (2), wherein the medium (2) to be processed is fed continuously to a metering device (11, 61) which is operated under cyclical control, by means of which the medium (2) is divided into individual fragments (3) of a pre-selected length and these fragments are expelled or ejected over a pre-selected distance (S).
16. The process as recited in Claim 15 wherein the medium is fed continuously under constant pressure.
17. The process according to claim 15, wherein the temperature of the medium (2) to be processed is adjusted, before it is fed to the metering device (11, 61), by heating or cooling a storage container (5, 54) or a delivery line (6) or the metering device (11, 61), or a combination of one or more of the foregoing.
18. The process according to claim 15, wherein the temperature of the expelled fragments (3) is controlled during the ejection over the entire area or in one or more parts of the distance (S).

Case 5/1263

19. The process according to claim 15, wherein the individual fragments (3) are expelled at an accelerated speed, e.g. with the aid of a discharge device (21).
20. The process according to claim 15, wherein the fragments (3) are provided with a coating during the ejection.
21. The process according to claim 15, wherein the fragments (3) are expelled in a ballistic trajectory.
22. An apparatus (1, 61) for producing pellets (4) from a viscous medium (2), which comprises a metering device (11, 61) operated under cyclical control, to which the medium (2) to be processed is supplied continuously under pressure and by means of which the medium (2) is divided into individual fragments (3) of a pre-selected length which are preferably expelled at an accelerated rate over a pre-selected travel distance (S).
23. The apparatus according to claim 22, wherein the metering device (11) is constructed as a shutoff valve (12) which can be operated cyclically by magnetic, hydraulic, pneumatic, piezoelectric or mechanical means.

Case 5/1263

24. The apparatus according to claim 23, wherein the valve member of the shutoff valve (12) may be constructed as a sphere (14) or cone (15) co-operating with a spherically shaped valve surface (16) or as a slide member (17) which can be pushed into the delivery line (6) and is provided with a tip (18) which is triangular in cross section.
25. The apparatus according to claim 22, wherein the metering device (11) may be constructed as a fluidic valve constructed in the form of a section of hose (19) attached to the delivery line (6) and provided with a piezo-actuated drive element.
26. The apparatus according to claim 22, wherein the metering device (61) is formed as a valve tappet (62) displaceably inserted in a housing (52) and operated cyclically by magnetic, hydraulic, pneumatic, piezoelectric or mechanical means, which has a spherically or conically shaped tip (63) and co-operates with a collecting chamber (65) to which the medium (2) may be fed from a storage container (54) preferably integrated in the housing (52).
27. The apparatus according to claim 26, wherein valve tappet (62) has associated therewith a conically shaped

Case 5/1263

chamber (57) adapted to fit the tip (63) thereof,
having an outlet port (958) adjoining the latter.

28. The apparatus according to claim 22, wherein a
discharge device (21) is provided downstream of the
metering device (11).
29. The apparatus according to claim 28, wherein adjoining
the discharge device (21) is an oscillator (40) in
which a vibration of 20 Hz to 20 kHz is produced by
means of a generator (41).

g/p/b

10/018641

10/018641
JC13 Rec'd PCT/PTO 19 DEC 2001Method and Device for Producing Pellets

The invention relates to a process for producing pellets from a viscous medium and an apparatus for carrying out this process.

In drug therapy, pellets are frequently used as carriers for pharmaceutical substances; they are prepared by various methods, some of which are very laborious. According to one of these methods, the so-called spray hardening method, a liquid medium enriched with the pharmaceutical substances is continuously forced through a spray nozzle. On leaving the spray nozzle, the jet of liquid is broken up into particles of different sizes which harden as they fall.

Uniform pellets, i.e. those of identical size, which have reproducible and predictable release characteristics, cannot be produced by this method, however, but instead the particles obtained in a broad spectrum of sizes have to be sorted by screening in a subsequent operation. Apart from the fact that sometimes a large proportion of the medium being processed has to be rejected, in order to produce pellets of other sizes it is necessary to change the nozzle and subsequently grade the pellets. The work involved in manufacture, even with this simple spray hardening process, is therefore considerable.

Case 5/1263

The aim of the invention is therefore to provide a process for producing pellets from a viscous medium and an apparatus for carrying out this process which make it possible always to produce uniform pellets of virtually the same size and reproducibility, which will therefore have the same release characteristics, in a single operation. Moreover, it should be possible to vary the size of the pellets by simple means and to process media of differing viscosity. The labour involved in achieving this should be kept to a minimum but at the same time the pellets should be capable of being produced cheaply within a short space of time.

According to the invention, the process by which this is to be achieved is characterised in that the medium which is to be processed is supplied continuously, under preferably constant pressure, to a metering device which can be operated cyclically, by means of which the medium is divided into individual fragments of a given length and these are ejected over a pre-selected distance.

It is useful to adjust the temperature of the medium being processed before it is fed into the metering device by heating or cooling a storage container and/or a delivery line and/or the metering device and to adjust the temperature of the ejected fragments during the ejection over the entire area or in one or more sections of a distance by means of the ambient temperature.

Case 5/1263

The individual fragments can also be ejected at high speed by means of a discharge device, in which the fragments are expelled in a ballistic trajectory and can be provided with a coating during the ejection.

The apparatus for carrying out this process is characterised by a metering device which can be operated cyclically, to which the medium to be processed can be supplied continuously under pressure and by means of which the medium can be divided up into individual fragments of a given size which can preferably be ejected at high speed and over a pre-selected distance.

The metering device may be constructed as a shutoff valve which is operated cyclically by magnetic, hydraulic, pneumatic, piezoelectronic or mechanical means, while the valve member of the shutoff valve may be constructed as a sphere or cone co-operating with a spherically shaped valve surface or as a slide which can be pushed into the delivery line, provided with a tip which is triangular in cross section.

However, the metering device may also be constructed as a fluidic valve constructed in the form of a section of hose attached to the delivery line and provided with a piezo-actuated drive element.

According to another embodiment, the metering device may also be constructed as a valve tappet which is displaceably inserted in a housing and is cyclically operated by magnetic, hydraulic, pneumatic, piezo-electronic

Case 5/1263

or mechanical means, which has a conical or spherical tip and co-operates with a collecting chamber to which the medium can be fed from a storage container preferably integrated in the housing.

It is appropriate to associate with the valve tappet a conically shaped chamber adapted to fit its tip and to incorporate the chamber as well as an outlet port adjoining said chamber in a cover which is releasably connected to the housing.

In order to ensure a uniform supply of the medium which is to be processed, the collecting chamber is to be formed by two or more supply channels extending radially to the chamber associated with the valve tappet, preferably incorporated in the cover, these channels being connected to the storage container directly via an annular space or via connecting channels.

Moreover, the storage container and/or the housing should be fitted with heating cartridges in the region of the collecting chamber and in order to drive the valve tappet a piston should be provided which is mounted in a guide bushing replaceably inserted in the housing.

It is also advantageous to provide, downstream of the metering device, a discharge device which can be supplied with a carrier medium, e.g. compressed air, to accelerate the fragments which are to be expelled.

Experience has shown that there is a possibility of the discharge device becoming blocked. To counter the risk of

Case 5/1263

blockage, an oscillator may advantageously be included in the apparatus. This oscillator is directly connected to the discharge device and generates a vibration of 20 Hz to 20 kHz, depending on the type of fouling which is transferred to the discharge device. This vibration is produced in the oscillator by means of a generator. As a result of this oscillating effect, no medium for processing is left on the opening and the product drips off cleanly.

The outlet port of the metering device or of the discharge device should be inclined upward at an angle ∇ of 25 to 35° to the horizontal, in order to achieve a ballistic trajectory.

It is also advisable to provide, downstream of the metering device or the discharge device, a tunnel equipped with cooling elements and/or having a gas atmosphere, which is supposed to have an operating pressure below or above atmospheric pressure and which may be fitted with one or more spray nozzles for coating the fragments or pellets. In addition, a catching container may be provided downstream of the metering device or the discharge device.

Moreover, the medium which is to be processed should be enclosed in a heatable or coolable storage container. The metering device, preferably together with the drive members and optionally the discharge device, may be arranged together in one housing.

Using the process according to the invention or the apparatus for carrying out this process, it is extremely

Case 5/1263

easy and cheap to produce pellets of virtually identical size and hence with constant reproducibility, as carriers of pharmaceutical substances, from a viscous medium and to change their size without any difficulty, if required. Using the metering device, in fact, the medium which is continuously supplied under pressure can be divided into individual fragments the length of which can be adjusted to suit the intended use, and these fragments can be ejected at high speed so that the fragments are shaped into pellets during their flight as a result of the surface tension present, these pellets taking on the same shape as one another, since the fragments supplied have the same shape and the conditions of ejection of the fragments are also the same. There is therefore no need to grade them; nor is there any reject material.

Since all the pellets produced in one step of the process therefore have virtually the same shape and surface, the release characteristics of the particular group of pellets will be reproducibly uniform and predictable. Moreover, during manufacture, the size of the pellets produced can readily be controlled using the metering apparatus, since the metering apparatus can easily be made to open and close cyclically and individual sizes of pellet can readily be produced by varying the opening and closing times. Thus, by connecting a plurality of control mechanisms with correspondingly high cycle rates in parallel, pharmaceutical formulations can be produced

Case 5/1263

Figure 11 shows the metering device according to Figure 4 but with an oscillator which prevents blockage of the discharge device.

The apparatus shown in Figures 1 to 3 and 8 and 9 and designated 1 and 51 is used to produce pellets 4 of identical shape from a viscous material 2 which is stored in a storage container 5 in the apparatus 1 and fed continuously, under pressure, through a delivery line 6 equipped with a pump 7. In order to convert the flow of medium 2 into the pellets 4, the apparatus 1 is provided with a metering device 11 in which the medium 4 is divided into individual fragments 3 of equal length from which the fragments 3 are ejected into a catching container 10 over a given distance S. The metering device 11 is disposed in a housing 8.

In the apparatus 1 according to Figure 1 the metering device 11 is formed by a shutoff valve 12 which can be operated electrically, hydraulically, pneumatically, piezoelectrically or mechanically by means of a drive member 13. The shutoff valve 12 may be formed, as shown in Figures 4, 5 and 6, by a ball 14 or by a cone 15, as shown by a dotted line in Figure 4, as a movable valve member which cooperates with a spherically shaped valve seat 16, or by a slide member 17 engaging with its conical tip 18 in the delivery line 6.

Case 5/1263

According to Figure 6, the metering device is constructed as a fluidic member in the form of a hose section 19 connected to the delivery line 6 and surrounded by a piezo-actuated drive element 20. The medium 2 is again divided into fragments by the pressure acting on the hose section 19 from outside.

According to Figure 2, downstream of the metering device 11 is a discharge device 21 which is connected to the metering device 11 via an intermediate line 9. By means of the discharge device 11 the fragments 3 are ejected at high speed. To achieve this, a carrier medium, e.g. compressed air, is supplied to the discharge device 21 through a line 22 and acts on the fragments 3 which are to be ejected.

According to Figure 11, downstream of the metering device 11 is a discharge device 21 which is connected to the metering device 11 via an intermediate line 9. The oscillator 40 is connected directly to the discharge device 21. The generator 41 sets the oscillator 40 vibrating. This oscillating system helps prevent blockage of the nozzle.

Downstream of the discharge device 21, according to Figure 7, is a tunnel 31 in which the expelled fragments 3 can be cooled down by means of a gas atmosphere 35. In addition, the tunnel 31 may be fitted with spray nozzles 36 by means of which an active substance 37 can be sprayed, for example, in order to coat the fragments 3 and/or pellets 4.

Case 5/1263

As shown in Figure 3, the storage container 5 may optionally be fitted with heating elements 32 to increase the viscosity of the medium 2 stored therein. For the same purpose, the metering device 11 may be kept at a constant operating temperature by means of heating elements 33. There are also cooling elements 34 in the tunnel 31 according to Figure 3, for cooling the pellets 4.

The pellets 4 are produced by means of the apparatus 1 as follows: the medium 2 which is continuously fed into the metering device 11 by means of the pump 7 at a constant pressure is divided into individual fragments 3 by the shutoff valve 12 which opens and closes cyclically; by varying the opening and closing times of the shutoff valve 12 the length of the fragments 3 can be adjusted individually.

Closing the shutoff valve 12 causes the valve member to accelerate the fragments 3 additionally and eject them faster, directly or by means of the discharge device 21. In their flight over the distance S adjacent to this discharge device 21 the individual fragments 3 are deformed as a result of surface tension, as shown in Figure 7, to form spherical pellets 4 which are virtually identical in size and reproducibility.

In the apparatus 51 for producing pellets shown in Figures 8 to 10, the metering device 61 is formed by a valve tappet 62 provided with a conically shaped tip 63 which co-operates with a suitably shaped chamber 57. The valve

Case 5/1263

space 66 and the channels 67 forming the collecting chamber 65 into the chamber 57. If the valve tappet 62 is driven cyclically by means of the piston 64, at each stroke a fragment corresponding to the capacity of the chamber 57 is forced out of the discharge port 58 and is then automatically shaped into a pellet.

Case 5/1263

Patent Claims

1. Process for producing pellets (4) from a viscous medium (2), characterised in that the medium (2) to be processed is fed continuously, under preferably constant pressure, to a metering device (11, 61) which is operated under cyclical control, by means of which the medium (2) is divided into individual fragments (3) of a pre-selected length and these fragments are expelled or ejected over a pre-selected distance (S).
2. Process according to claim 1, characterised in that the temperature of the medium (2) to be processed is adjusted, before it is fed to the metering device (11, 61), by heating or cooling a storage container (5, 54) and/or a delivery line (6) and/or the metering device (11, 61).
3. Process according to claim 1 or 2, characterised in that the temperature of the expelled fragments (3) is controlled during the ejection over the entire area or in one or more parts of the distance (S), preferably by means of the ambient temperature.
4. Process according to one or more of claims 1 to 3, characterised in that the individual fragments (3) are

Case 5/1263

expelled at an accelerated speed, e.g. with the aid of a discharge device (21).

5. Process according to one or more of claims 1 to 4, characterised in that the fragments (3) are provided with a coating during the ejection.
6. Process according to one of more of claims 1 to 5, characterised in that the fragments (3) are expelled in a ballistic trajectory.
7. Apparatus (1, 61) for producing pellets (4) from a viscous medium (2), characterised by a metering device (11, 61) operated under cyclical control, to which the medium (2) to be processed is supplied continuously under pressure and by means of which the medium (2) is divided into individual fragments (3) of a pre-selected length which are preferably expelled at an accelerated rate over a pre-selected travel distance (S).
8. Apparatus according to claim 7, characterised in that the metering device (11) is constructed as a shutoff valve (12) which can be operated cyclically by magnetic, hydraulic, pneumatic, piezoelectric or mechanical means.

Case 5/1263

9. Apparatus according to claim 8, characterised in that the valve member of the shutoff valve (12) may be constructed as a sphere (14) or cone (15) co-operating with a spherically shaped valve surface (16) or as a slide member (17) which can be pushed into the delivery line (6) and is provided with a tip (18) which is triangular in cross section.
10. Apparatus according to claim 7, characterised in that the metering device (11) may be constructed as a fluidic valve constructed in the form of a section of hose (19) attached to the delivery line (6) and provided with a piezo-actuated drive element.
11. Apparatus according to claim 7, characterised in that the metering device (61) is formed as a valve tappet (62) displaceably inserted in a housing (52) and operated cyclically by magnetic, hydraulic, pneumatic, piezoelectric or mechanical means, which has a spherically or conically shaped tip (63) and co-operates with a collecting chamber (65) to which the medium (2) may be fed from a storage container (54) preferably integrated in the housing (52).
12. Apparatus according to claim 11, characterised in that associated with the valve tappet (62) is a conically shaped chamber (57) adapted to fit the tip (63)

Case 5/1263

thereof, having an outlet port (958) adjoining the latter.

13. Apparatus according to one or more of claims 7 to 12, characterised in that a discharge device (21) is provided downstream of the metering device (11).
14. Apparatus according to claim 13, characterised in that adjoining the discharge device 21 is an oscillator 40 in which a vibration of 20 Hz to 20 kHz is produced by means of a generator 41.

Case 5/1263

10/018641

Abstract

In an apparatus (1) for producing pellets (4) from a viscous medium (2), a metering device (11) which is operated under cyclical control is provided, to which the medium (2) to be processed is fed continuously under pressure and by means of which the medium (2) is divisible into individual fragments (3) of pre-selected length which are ejected over a distance S.

By means of the apparatus (1), pellets (4) of virtually identical size intended as carriers for pharmaceutical substances can be produced with constant reproducibility (Figure 3).

Fig. 1




Fig. 2




Fig. 3




Fig. 4

- 4/9 -




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10





Fig. 11



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

As the below named inventor, I hereby declare that:

My residence, mailing address, and citizenship are as stated below next to my name.

I believe I am the original and first inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Method and Devise for Producing Pellets

(Title of the Invention)

the specification of which

☐ is attached hereto

OR

☒ was filed on (MM/DD/YYYY) 06/23/2000 as United States Application Number or PCT International

Application Number PCT/EP00/05801 and was amended on (MM/DD/YYYY) 12/19/2001 (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56, including for continuation-in-part applications, material information which became available between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or (f), or 365(b) of any foreign application(s) for patent, inventor's or plant breeder's rights certificate(s), or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent, inventor's or plant breeder's rights certificate(s), or any PCT international application having a filing date before that of the application on which priority is claimed

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
199 29 526.3	Germany	06/28/1999	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
PCT/EP00/05801		06/23/2000	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto

DECLARATION — Utility or Design Patent ApplicationDirect all correspondence to ☒Customer Number
or Bar Code LabelOR ☐

Correspondence address below

28505

PATENT TRADEMARK OFFICE

Name

Address

City

State

ZIP

Country

Telephone

(203) 798-4866

Fax (203) 798-4408

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

NAME OF SOLE OR FIRST INVENTOR :

☐ A petition has been filed for this unsigned inventorGiven Name
(first and middle [if any])

Wolfgang

Family Name
or Surname

Joerg

Inventor's
Signature*Wolfgang Joerg*

Date

04/02/2002

Residence: City

Laupertshausen

State

DE

Country

Germany

Citizenship

DE

Mailing Address

Dahlienweg 6

City

Laupertshausen

State

ZIP

88437

Country

Germany

NAME OF SECOND INVENTOR:

☐ A petition has been filed for this unsigned inventorGiven Name
(first and middle [if any])

Johann

Family Name
or Surname

Schwartz

Inventor's
Signature*Johann Schwartz*

Date

05/09/02

Residence: City

Warthausen

State

DE

Country

Germany

Citizenship

DE

Mailing Address

Am Hang 2

City

Warthausen

State

ZIP

88447

Country

Germany

☒ Additional inventors are being named on the 1 supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto.

Please type a plus sign (+) inside this box →

PTO/SB/02A (11-00)
Approved for use through 10/31/2002 OMB 0651-0032

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION**ADDITIONAL INVENTOR(S)**
Supplemental Sheet
Page 1 of 1**Name of Additional Joint Inventor, if any:**☐ A petition has been filed for this unsigned inventor

Given Name (first and middle [if any])

Family Name or Surname

300
AndreasEgeInventor's
SignatureAndreas EgeDate 04/02/2002Residence: City MittelbiberachState DEU

Country

Germany

Citizenship

DEMailing Address Biberacher-Strasse 15

Mailing Address

City Mittelbiberach

State

ZIP 88441

Country

Germany**Name of Additional Joint Inventor, if any:**☐ A petition has been filed for this unsigned inventor

Given Name (first and middle [if any])

Family Name or Surname

400
RobertBeckerInventor's
SignatureR. BeckerDate 04/02/2002Residence: City BiberachState DEU

Country

Germany

Citizenship

DEMailing Address Stresemannstrasse 40

Mailing Address

City Biberach

State

ZIP 88400

Country

Germany**Name of Additional Joint Inventor, if any:**☐ A petition has been filed for this unsigned inventor

Given Name (first and middle [if any])

Family Name or Surname

500
GerhardSteinerInventor's
SignatureGerhard SteinerDate 04/02/2002Residence: City BaltringenState DEU

Country

Germany

Citizenship

DEMailing Address Talstrasse 17

Mailing Address

City Baltringen

State

ZIP 88487

Country

Germany

Burden Hour Statement: This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → +

PTO/SB/81 (02-01)

Approved for use through 10/31/2002. OMB 0651-0035

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**POWER OF ATTORNEY OR
AUTHORIZATION OF AGENT**

Application Number	10/018,641
Filing Date	December 19, 2001
First Named Inventor	Wolfgang Joerg et al.
Title	Method and Device for Producing Pellets
Group Art Unit	To be assigned
Examiner Name	To be assigned
Attorney Docket Number	5/1263 PCT


I hereby appoint:

☒ Practitioners at Customer Number

28505

OR

☐ Practitioner(s) named below:



Place Customer
Number Bar Code
Label here

PATENT TRADEMARK OFFICE

Name	Registration Number


as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent and Trademark Office connected therewith.

Please change the correspondence address for the above-identified application to:

☒ The above-mentioned Customer Number.

OR

☐ Practitioners at Customer Number



Place Customer
Number Bar Code
Label here

☐ Firm or
Individual Name

Address

Address

City

State

Zip

Country

Telephone

Fax

I am the:

☒ Applicant/Inventor.

☐ Assignee of record of the entire interest. See 37 CFR 3.71.
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).
SIGNATURE of Applicant or Assignee of Record

Name

Johann Schwartz

Signature



Date

05/09/02

NOTE. Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.

☒ *Total of 5 forms are submitted.

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → +

PTO/SB/81 (02-01)

Approved for use through 10/31/2002 OMB 0651-0035

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

**POWER OF ATTORNEY OR
AUTHORIZATION OF AGENT**

Application Number	10/018,641
Filing Date	December 19, 2001
First Named Inventor	Wolfgang Joerg et al.
Title	Method and Device for Producing Pellets
Group Art Unit	To be assigned
Examiner Name	To be assigned
Attorney Docket Number	5/1263 PCT

I hereby appoint:

☒ Practitioners at Customer Number

28505


 Place Customer
 Number Bar Code
 Label here

☐ Practitioner(s) named below:

Name	Registration Number

as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent and Trademark Office connected therewith.

Please change the correspondence address for the above-identified application to:

☒ The above-mentioned Customer Number.

OR

☐ Practitioners at Customer Number

 Place Customer
 Number Bar Code
 Label here

OR

☐ Firm or
 Individual Name

Address

Address

City

State

Zip

Country

Telephone

Fax

I am the:

☒ Applicant/Inventor.

☐ Assignee of record of the entire interest. See 37 CFR 3.71.
 Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).
SIGNATURE of Applicant or Assignee of Record

Name

Wolfgang Joerg

Signature

Date

04/02/2002

NOTE. Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.

☒ *Total of 5 forms are submitted.

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → ☐

PTO/SB/81 (02-01)

Approved for use through 10/31/2002 OMB 0651-0035

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

**POWER OF ATTORNEY OR
AUTHORIZATION OF AGENT**

Application Number	10/018,641
Filing Date	December 19, 2001
First Named Inventor	Wolfgang Joerg et al.
Title	Method and Device for Producing Pellets
Group Art Unit	To be assigned
Examiner Name	To be assigned
Attorney Docket Number	5/1263 PCT

I hereby appoint:

☒ Practitioners at Customer Number

28505



PATENT TRADEMARK OFFICE

☐ Practitioner(s) named below:

Name	Registration Number

as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent and Trademark Office connected therewith.

Please change the correspondence address for the above-identified application to:

☒ The above-mentioned Customer Number.

OR

☐ Practitioners at Customer Number

Place Customer
Number Bar Code
Label here

OR

☐ Firm or
Individual Name

Address

Address

City

State

Zip

Country

Telephone

Fax

I am the:

☒ Applicant/Inventor.

☐ Assignee of record of the entire interest. See 37 CFR 3.71.
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).
SIGNATURE of Applicant or Assignee of Record

Name

Andreas Ege

Signature

Andreas Ege

Date

04/02/2002

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.

☒ *Total of 5 forms are submitted.

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → +

PTO/SB/81 (02-01)

Approved for use through 10/31/2002 OMB 0651-0035

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it display a valid OMB control number.


**POWER OF ATTORNEY OR
AUTHORIZATION OF AGENT**

Application Number	10/018,641
Filing Date	December 19, 2001
First Named Inventor	Wolfgang Joerg et al.
Title	Method and Device for Producing Pellets
Group Art Unit	To be assigned
Examiner Name	To be assigned
Attorney Docket Number	5/1263 PCT

I hereby appoint:

☒ Practitioners at Customer Number

28505

OR☐ Practitioner(s) named below:

PATENT TRADEMARK OFFICE

Name	Registration Number

as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent and Trademark Office connected therewith.

Please change the correspondence address for the above-identified application to:

☒ The above-mentioned Customer Number.**OR**☐ Practitioners at Customer Number

Place Customer
Number Bar Code
Label here

☐ Firm or
Individual Name

Address

Address

City

State

Zip

Country

Telephone

Fax

I am the:

☒ Applicant/Inventor.
☐ Assignee of record of the entire interest. See 37 CFR 3.71.
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).
SIGNATURE of Applicant or Assignee of Record

Name

Robert Becker

Signature

Date

04/02/2002

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.

☒ *Total of 5 forms are submitted.

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → +

PTO/SB/81 (02-01)

Approved for use through 10/31/2002. OMB 0651-0035

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it display a valid OMB control number

**POWER OF ATTORNEY OR
AUTHORIZATION OF AGENT**


Application Number	10/018,641
Filing Date	December 19, 2001
First Named Inventor	Wolfgang Joerg et al.
Title	Method and Devise for Producing Pellets
Group Art Unit	To be assigned
Examiner Name	To be assigned
Attorney Docket Number	5/1263 PCT

I hereby appoint:

☒ Practitioners at Customer Number

28505

OR

☐ Practitioner(s) named below:


PATENT TRADEMARK OFFICE

Name	Registration Number

as my/our attorney(s) or agent(s) to prosecute the application identified above, and to transact all business in the United States Patent and Trademark Office connected therewith.

Please change the correspondence address for the above-identified application to:

☒ The above-mentioned Customer Number.

OR

☐ Practitioners at Customer Number

Place Customer
Number Bar Code
Label here

OR

☐ Firm or
Individual Name

Address

Address

City

State

Zip

Country

Telephone

Fax

I am the:

☒ Applicant/Inventor.

☐ Assignee of record of the entire interest. See 37 CFR 3.71.
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).
SIGNATURE of Applicant or Assignee of Record

Name

Gerhard Steiner

Signature

Date

04/02/2002

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.

☒ *Total of 5 forms are submitted.

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.